

2025

	91420800MA491GF58H		
	89		0724-

()

			mg/m ³	mg/m ³	kg/h	kg				
4	M1 (DA001)		50	7.84	0.0067	12.06			19.3m	2024 10
	M2 DA002		50	20	0.014	25.20			19.3m	2024 10
5	Q5 (DA003)		50	16.5	0.076	158.69	NMP		24m	2024 10
	Q5NMP (DA004)		50	10.7	0.17	354.96	,		24m	2024 11
	2# (DA014)		50	4	0.0756	152.41	/			
			150	85	1.48	2983.68	/		12m	2025 2

20 6.9 0.121 243.94 /

			mg/m ³	mg/m ³	kg/h	kg				
13	1 (DA005)		50	1.38	0.247	486.10	NMP		24.5m	2024 10
	2 (DA006)		50	1.17	0.083	163.34	NMP		24.5m	2024 10
	13J (DA007)		50	1.83	0.12	236.16	,		30.5m	2024 10

1 = ×
2 “ND”

()

				Leq[dB A]	Leq[dB A]	
25	2	1m		65	58	
25	2	1m		65	59	
25	2	1m		65	58	
25	2	1m		55	50	
25	2	1m		55	44	
25	2	1m		55	53	

25 2 1m

			Leq[dB A]	Leq[dB A]	
25 2	1m		65	60	
25 2	1m		55	48	
25 2	1m		55	52	
25 2	1m		55	51	
25 2	1m		55	50	
25 2	1m		65	60	
25 2	1m		65	61	
25 2	1m		65	55	
25 2	1m		65	59	
25 2	1m		55	49	

		14.83	14.83	0.00	0.00			
		720.61	721.61	0.00	30.62			

6Q 144

		2017 42			
		2019 2			91420800MA491GF58H001V
		2021 3			91420800MA491GF58H001V

2018 4

	m³	m³	m³	m³
	810291.64	212466.61	597825.04	1890
	t	m³	m³	%
	5.95	0	1866	100
+				

ehs@evebattery.com